



To replace  
July 2014  
version

# LOCK GUIDE

ECB•S R01

## Contents

1	Scope.....	2
2	Class A locks .....	3
3	Class B locks .....	6
4	Class C locks .....	18
5	Class D locks .....	21
6	List of suppliers.....	22

Edited by:  
European Certification Body GmbH  
Lyoner Straße 18 • 60528 Frankfurt am Main • Germany

## 1 Scope

The lock guide is applicable for the following certified ECB•S products:

- Secure safe cabinets according to EN 14450
- Safes according to EN 1143-1
- ATM safes according to EN 1143-1
- Strongroom doors according to EN 1143-1
- Deposit systems (deposit safes and night safes) according to EN 1143-2

**ECB•S certified secure storage units shall exclusively be equipped with high security locks according to EN 1300 which are listed both in the approved technical documentation (Annex to the certificate) and in the lock guide ECB•S R01.**

In the lock guide, the following locks are classified:

- Mechanical key locks (KL)
- Mechanical code locks (CL)
- Electronical locks (EKL – Electronical key locks;  
ECL – Electronical code locks)

Additional abbreviations:

- PS: Picking protection
- AS: Automatic scrambling
- IND: Indirect drive
- RS: Redundant system
- <sup>1)</sup> Mounting hole dimensions not according to the informative Annex D of EN 1300:2013

Bolt design:

- [ Dead bolt, square bolt, straight bolt etc.
- C Flat bolt
- ∠ Swing bolt, roto bolt etc.

Please consider: The bolt dimensions are only generalized and categorized, e.g. "flat bolt" locks may differ in size and shape from each other.

Further features of the ECB•S certified locks are listed in the electronic product locator at [www.ecb-s.com](http://www.ecb-s.com).

In addition to the ECB•S certified high security locks, the guide also contains certified locks of other signers of the "Multilateral Agreement (MA) on High Security Locks". When using these MA locks, the manufacturer of secure storage units is obliged to require, obtain and keep proofs of the fulfilment of the relevant class(es) according to EN 1300 from the lock manufacturer at all times.

## 2 Class A locks

2.1 Mechanical key locks (KL)	Model	ECB•S certificate	EN 1300/ Bolt	
<b>Burg-Wächter KG,</b> Wetter (Ruhr)/DE	TRS 11 <sup>1)</sup>	0061/HSL03-02D	<b>A</b>	C
<b>Gunnebo Bazancourt S.A.S,</b> Bazancourt/FR	MxB-A	0440/HSL04-02C	<b>A</b>	[
<b>Kaba Mauer GmbH,</b> Heiligenhaus/DE	70091/70092 (Variator A) (Code changeable)  71111 (President A)  73042 (Tricontus A) <sup>1)</sup>  74041 (Centurio A) <sup>1)</sup>  74046 (Centurio A Plus) <sup>1)</sup>  78091 (Arator) <sup>1)</sup>	537303/HSL03-01C  537303/HSL03-02C  537303/HSL03-03C  537303/HSL03-04C  537303/HSL03-05C  537303/HSL03-06C	<b>A</b>  <b>A</b>  <b>A</b>  <b>A</b>  <b>A</b>	[  [ other C C [
<b>SECU</b> <b>Sicherheitsprodukte GmbH,</b> Meinerzhagen/DE	S 1000  S 2700 U (Code changeable)	071302/HSL03-01D  071302/HSL03-02C	<b>A</b>  <b>A</b>	C  [

### **Certified locks of other MA signers:**

<b>Carl Wittkopp GmbH,</b> Velbert/DE	Series 1600 <sup>1)</sup> Types: 1609 1619 1629 (with control lock) 1639 (with integrated electronic time delay system)  Series 2600 Types 2608, 2618, 2628 and 2648  1819	no ECB•S Certificate        no ECB•S certificate     no ECB•S certificate	A             A     A	
<b>Lowe &amp; Fletcher Ltd.,</b> Wednesbury/GB	3007/3012	no ECB•S certificate	A	

<b>K. J. Ross Security Locks Pty. Ltd., Victoria/AU</b>	700		no ECB•S certificate	A
<b>Sargent &amp; Greenleaf Inc., Nicholasville, Kentucky/US</b>	6860	(Code changeable)	no ECB•S certificate	A
<b>Steinbach &amp; Vollmann GmbH &amp; Co., Heiligenhaus/DE</b>	Series 4.19.92		no ECB•S certificate	A
	Series IVOX Typ 4.19.95			A
<b>Talleres AGA S.A., Arrasate-Mondragon/ES</b>	0246 and 0248		no ECB•S certificate	A
	0236	(Code changeable)	no ECB•S certificate	A

2.2 Mechanical code locks (CL) Model	ECB•S Certificate	EN 1300/ Bolt
<b>Kaba Mas LLC,</b> Lexington, Kentucky/US  <b>LA GARD 3390S (PS)</b> Types:3390SZA, 3390SZC, 3390SZD, 3390SZE, 3390SZG, 3390SZK, 3390SZM former name 3390EX	538102/HSL09-03A	<b>A</b> [
<b>Certified locks of other MA signers:</b>		
<b>Kaba Mas LLC,</b> Lexington, Kentucky/US  <b>LA GARD 3330-1</b>	no ECB•S certificate	A
<b>Lebtig Schließtechnik GmbH &amp; Co. KG,</b> Bötzingen/DE  <b>3095</b> <b>3011</b> <sup>1)</sup>	no ECB•S certificate	A A
<b>Sargent &amp; Greenleaf Inc.,</b> Nicholasville, Kentucky/US  <b>Series 6641</b> Types: -001, -002, -003  <b>Series 6651 (PS)</b> Types: -001, -009, -010, -011, -013, -014, -015, -100, -101  <b>Series 6730</b> Types: -013, -017, -024, -046, -075, -090, -125, -142, -150, -159, -164  <b>Series 6741</b> Types: -012, -019, -020, -043, - 047, -050, -124, -125	no ECB•S certificate  no ECB•S certificate  no ECB•S certificate  no ECB•S certificate	A  A  A  A
2.3 Electronic locks (EKL/ECL) Model	ECB•S Certificate	EN 1300/ Bolt
<b>Bordogna S.p.A.,</b> Palazzolo sull'Oglio (Brescia)/IT  <b>BMZ</b> (ECL)	0905/HSL14-01	<b>A</b> [
<b>JUWEL SRL,</b> Vanzago (Milano)/IT  <b>RUNNERS ELECTRONICS LOCK – 3154/1/3/5</b> Hub : 8,75mm (ECL)  <b>RUNNERS ELECTRONICS LOCK – 3155/1/3/5</b> Hub 14 mm (ECL) (certified only in mode V.01, V.03 und V.05)	1306/HSL13-01A	<b>A</b> [
<b>Kaba Mauer GmbH,</b> Heiligenhaus/DE  <b>82021 Code Combi K (ECL, KL)</b> <sup>1)</sup>	538102/HSL04-01B	<b>A</b> [

<b>Promet Safe LLC. (Russia),</b> Moskau/RU	PS-300	(ECL) <sup>1)</sup>	0907/HSL10-01C	<b>A</b>	[
<b>Promet Safe Ltd. (Bulgaria),</b> Kazanlak/BG	PS-300	(ECL) <sup>1)</sup>	0906/HSL14-01A	<b>A</b>	[
<b>SECU</b> <b>Sicherheitsprodukte GmbH,</b> Meinerzhagen/DE	SELO-A	(ECL)	071302/HSL07-01B	<b>A</b>	[

**Certified locks of other MA signers:**

<b>Carl Wittkopp GmbH,</b> Velbert/DE	Series Elostar Type: 7216 (with mechanical emergency lock, type 2618 in the versions simplex and pro)	(ECL/RS)	no ECB•S certificate	<b>A</b>	
<b>KABA MAS LLC,</b> Lexington, Kentucky/US	LA GARD Swingbolt (ECL)  <u>Lock</u> <u>Input</u> 4200 M   3000 4200 M   3715 4200 M   3815 with Software 3800 Dual Control, 3802 LGB (LG Basic) and 3803 LGB+ (LG Basic Plus)	(ECL)	no ECB•S certificate	<b>A</b>	

**3 Class B locks**

<b>3.1 Mechanical key locks (KL)</b>	<b>Model</b>	<b>ECB•S Certificate</b>	<b>EN 1300/ Bolt</b>
<b>Burg-Wächter KG,</b> Wetter (Ruhr)/DE	TRS 22            (Code changeable)	0061/HSL03-01C	<b>B</b> [
<b>Carl Wittkopp GmbH,</b> Velbert/DE	1821-1 (Standard)	1210/HSL12-03A	<b>B</b> C [
	1821-2 (with control lock)	1210/HSL12-03A	<b>B</b> [
<b>Conforti SpA,</b> San Martino Buon Albergo/IT	ISN11D	1206/HSL12-01	<b>B</b> C
	PKL R1DF	1206/HSL13-01	<b>B</b> [

<b>Gunnebo Bazancourt S.A.S.,</b> Bazancourt/FR	MxB-B	0440/HSL04-03C	<b>B</b>	[
<b>Kaba Mauer GmbH,</b> Heiligenhaus/DE	70040 Varos (changeable)	537303/HSL11-01A	<b>B</b>	[
	70076 (Variator B) (changeable)	537303/HSL03-11C	<b>B</b>	[
	70077 (Variator B) (changeable)	537303/HSL03-11C	<b>B</b>	[
	70079 (Praetor B) (changeable)	537303/HSL03-11C	<b>B</b>	[
	70211 to 70218 (E-Variator B) (code changeable key lock with electro-mechanical release and/or interlocking function) (changeable)	537303/HSL03-12C	<b>B</b>	[
<b>SECU</b> <b>Sicherheitsprodukte GmbH,</b> Meinerzhagen/DE	S 4700 U (Code changeable)	071302/HSL03-04C	<b>B</b>	[

**Certified locks of other MA signers:**

<b>ASSA OEM AB</b> Göteborg/SE	FAS 6980	no ECB•S certificate	<b>B</b>
<b>Intergard LLC</b> Sunrise, Florida/US	KL39-09 (Code changeable)	no ECB•S certificate	<b>B</b>
<b>Lebtig Schließtechnik</b> <b>GmbH &amp; Co. KG</b> Bötzingen/DE	2376 – EuroNovum 2377 – EuroNovum	no ECB•S certificate	<b>B</b>
<b>Lowe &amp; Fletcher Ltd.,</b> Wednesbury/GB	3010/3011	no ECB•S certificate	<b>B</b>
<b>M-Locks BV</b> Doetinchem/NL	KL3909 (Code changeable)	no ECB•S certificate	<b>B</b>
<b>Sargent &amp; Greenleaf Inc.,</b> Nicholasville, Kentucky/US	6880 (Code changeable)	no ECB•S certificate	<b>B</b>

<b>Steinbach &amp; Vollmann GmbH &amp; Co. KG,</b> Heiligenhaus/DE	Series 4.19.94	no ECB•S certificate	B
	Series IVOX Types 4.19.97, 4.19.97A		B
	RELOX		B
<b>Talleres AGA S.A.,</b> Arrasate-Mondragon/ES	0247	no ECB•S certificate	B
	0237 (Code changeable)	no ECB•S certificate	B

<b>3.2 Mechanical code locks (CL)</b>	<b>Model</b>	<b>ECB•S Certificate</b>	<b>EN 1300/ Bolt</b>	
<b>Carl Wittkopp GmbH,</b> Velbert/DE	7800 (PS)	1210/HSL12-02A	<b>B</b>	[
<b>Kaba Mas LLC,</b> Lexington, Kentucky/US	LA GARD 3390V (PS) Types: 3390 VZK (with bolt switching contact) 3390 VZN (without bolt switching contact)	538102/HSL09-07A	<b>B</b>	[
<b>Lebtig Schließtechnik GmbH &amp; Co. KG,</b> Bötzingen/DE	3096 Types 3096...31 (with bolt contact)	1109/HSL11-01A	<b>B</b>	[
	3098 (PS) Types 3098...31 (with bolt contact)	1109/HSL11-03A	<b>B</b>	[
<b>M-Locks BV,</b> Doetinchem/NL	ML6740 / ML6785 (PS) ML6740 with square spindle ML6785 with threaded spindle	1007/HSL10-06A	<b>B</b>	[

**Certified locks of other MA signers:**

<b>Intergard LLC,</b> Sunrise, Florida/US	ML67.40 / ML67.45 / ML67.85 Typ ML67.40 and ML 67.45 with square spindle Typ ML67.85 with threaded spindle	no ECB•S certificate	B
<b>Kaba Mas LLC,</b> Lexington, Kentucky/US	LA GARD 1985 (PS)	no ECB•S certificate	B
<b>Lebtig Schließtechnik GmbH &amp; Co. KG,</b> Bötzingen/DE	3012 <sup>1)</sup>	no ECB•S certificate	B



<b>LOCK Technology BV,</b> Doetinchem/NL	ML67.40 (with square spindle; PS) ML67.45 (with square spindle; PS) ML67.85 (with threaded spindle; PS)	no ECB•S certificate	B	
<b>Sargent &amp; Greenleaf Inc.,</b> Nicholasville, Kentucky/US	Series 6630 (PS) Types: -009, -010, -011, -012, -013, - 014, -015, -016, -017, -024, -046, - 090, -150	no ECB•S certificate	B	
	Series 6642 Types: -001, -002	no ECB•S certificate	B	
	Series 6731 Types: -006, -014, -016, -017, -025	no ECB•S certificate	B	
	Series 8550 (PS) Types: -004, -006, -009, -018, -027, -028, -029, -030, -032	no ECB•S certificate	B	
<b>TECNOSICUREZZA s.r.l.,</b> Verona/IT	ML67.40 (with square spindle; PS) ML67.45 (with square spindle; PS) ML67.85 (with threaded spindle; PS)	no ECB•S certificate	B	
<b>Michael J .Walsh &amp; Associates, Inc.,</b> Chiloquin, OR/US	CLD-3M (PS) CLD-3M Standard CLD-3M/D Duress (Alarmcode) CLD-3M/L Lock state switch	no ECB•S certificate	B	
<b>3.3 Electronic locks (EKL/ECL)</b>	<b>Model</b>	<b>ECB•S Certificate</b>	<b>EN 1300/ Bolt</b>	
<b>BAUSSA Industrias de Seguridad,</b> Munguia (Vizcaya)/ES	Spider Pro (ECL)	1108/HSL11-01	B	[
	Spider Com / Spider Pro Com (ECL)	1108/HSL14-01	B	[
<b>Burg-Wächter KG,</b> Wetter (Ruhr)/DE	TRS E8 (ECL)	0061/HSL09-01B	B	[
<b>Carl Wittkopp GmbH,</b> Velbert/DE	Series PRIMOR (ECL) Types:	1210/HSL12-04	B	[
	PRIMOR 1000 with input units FL, FS, RO			∠
	PRIMOR 2000 with input unit RO			[

	PRIMOR 3000 with input units FL, FS, RO			[
	PRIMOR 3010 with input units FL, FS, RO with connection to emergency lock			[
<b>Gunnebo Cash Automation GmbH, Trier/DE</b>	SafeLock B (ECL) Models: SafeLock B-one SafeLock B-one R (RS) SafeLock B-2 SafeLock B-2R (RS)	5254/HSL07-01B	<b>B</b>	[
<b>Gunnebo Electronic Security SAS, Baldenheim/FR</b>	NECTRA (ECL) (Types: AUDIT, BASIC and MK II F)	0807/HSL08-02C	<b>B</b>	[
	REL (ECL) (Types: AUDIT, Basic, FP and PREMIUM)	0807/HSL08-01B	<b>B</b>	[
	MKII-C (ECL)	0807/HSL13-01	<b>B</b>	[
	GSL 1000 B (ECL) Types: GSL 1031-B with input unit GSL IU 1030-B (standard) GSL 1032-B with input unit GSL IU 1030-B (standard) GSL1033-B with input unit GSL IU 1030-B (standard) GSL 1041-B with input unit GSL IU 1040-B (with fingerprint) GSL 1042-B with input unit GSL IU 1040-B (with fingerprint) GSL 1043-B with input unit GSL IU 1040-B (with fingerprint) <b>Certification expires in fingerprint only setting</b>	0807/HSL09-01B	<b>B</b>	[
<b>INSYS Microelectronics GmbH, Regensburg/DE</b>	CombiStar 7250 (ECL) Models: easy, simplex and pro	0908/HSL09-01B	<b>B</b>	[

	<p><b>TwinLock B (ECL)</b>                  Models / input unit                  Twinlock B700 BioPin / FlatControl BioPin B                  TwinLock B700 Business M / FlatControl Business B – M                  TwinLock B700 Business S / FlatControl FlatControl Business B – S                  TwinLock B700 eCode / FlatControl eCode                  TwinLock B700 WTU / FlatControl WTU                  optional with network connection  <i>(supersedes TwinLock 7260 versions)</i></p> <p><b>CombiLock 200 (ECL)</b>                  Models: pro, RFID und simplex input unit: CombiControl  <i>(supersedes CombiStar 200)</i></p> <p><b>EloStar (ECL)</b>                  Models: EloStar 300 pro, EloStar 300 multi and EloStar 300 time input unit: ES33 and ES33 multi</p> <p><b>EloStar Master (ECL)</b>                  Models / input unit                  EloStar Master 300 BioMaster / FlatControl BioMaster                  EloStar Master 300 M / FlatControl Master M                  EloStar Master 300 S / FlatControl Master S                  optional with network connection</p>	<p>0908/HSL14-04</p> <p>0908/HSL14-01B</p> <p>0908/HSL14-02</p> <p>0908/HSL14-03</p>	<p><b>B</b></p> <p><b>B</b></p> <p><b>B</b></p> <p><b>B</b></p>	<p>[</p> <p>[</p> <p>[</p> <p>[</p>
<p><b>KABA AG,</b>                  Wetzikon/CH</p>	<p><b>PAXOS Advance (ECL/RS)</b>                  (with keypad input)                  (also recognized as actuator for burglar alarm systems)</p> <p><b>PAXOS COMPACT (ECL/RS)</b>                  (with keypad input)                  (also recognized as actuator for burglar alarm systems)</p> <p><b>SL52X (ECL)</b>                  Models: SL523, SL525, Questor and Aessor</p>	<p>072232/HSL14-01</p> <p>072232/HSL03-02B</p> <p>072232/HSL03-01C</p>	<p><b>B</b></p> <p><b>B</b></p> <p><b>B</b></p>	<p>[</p> <p>[</p> <p>[</p>
<p><b>Kaba Mas LLC,</b>                  Lexington, Kentucky/US</p>	<p><b>Cencon (ECL)</b>                  Types: KU, KD, KI</p> <p><b>Cencon SWB (ECL)</b></p> <p><b>AUDITCON 2 Swingbolt (ECL)</b>                  Types: 52, T52, 252 and 552</p>	<p>538102/HSL04-02C</p> <p>538102/HSL12-01</p> <p>538102/HSL11-02</p>	<p><b>B</b></p> <p><b>B</b></p> <p><b>B</b></p>	<p>[</p> <p>∠</p> <p>∠</p>

<p>LA GARD Deadbolt (ECL) Models: <u>Lock</u>    <u>Input</u>    <u>Software</u> 3740 M 3035 LG Basic 3740 M 3047* LG Basic 3740 M 3190 LG Basic 3740 M 3710* LG Basic 3740 M 3750 LG Basic 6040 M 3035 Pro(39E),Supra, LGA 6040 M 3125 Pro(39E),Supra, LGA 6040 M 3190 Pro(39E),Supra, LGA 6040 M 3710* Pro(39E),Supra, LGA 6040 M 3750 Pro(39E),Supra, LGA 6040 M 3750K Pro(39E),Supra, LGA 6040 M 8130* Pro(39E),Supra, LGA *Knob turn 2666 required</p>	538102/HSL11-01	<b>B</b>	[
<p><b>Kaba Mauer GmbH,</b> Heiligenhaus/DE</p> <p>Code-Combi B (ECL/RS) (with mechanical emergency lock) Typen: 82 132 Code Combi B and 82132 Combi B30 (with software version:CB30 Rev. 2)</p>	537303/HSL03-17D	<b>B</b>	[
<p><b>LEM S.r.l.,</b> Gerenzano (VA) / IT</p> <p>HAL 600 (ECL)</p>	070329/HSL13-01	<b>B</b>	[
<p><b>M-Locks BV,</b> Doetinchem/NL</p> <p>EM1620 (DirectDrive) (ECL) with input units AL20XX, AL30XX, BR50XX, DE20XX, EC10XX. EC40XX, EK50XX, ST40XX, T65XX, T75XX, T85XX</p> <p>EM20XX (Rotobolt) (ECL) Types EM2020. EM2050 with input units AL20XX, AL30XX, BR50XX, DE20XX, EC10XX. EC40XX, EK50XX, ST40XX, T65XX, T75XX, T85XX Type EM2060 with input unit Leader</p> <p>EM35XX (Straight Bolt) (ECL) Types EM2020. EM2050 with input units AL20XX, AL30XX, BR50XX, DE20XX, EC10XX. EC40XX, EK50XX, ST40XX, T65XX, T75XX, T85XX Type EM2060 with input unit Leader</p>	1007/HSL10-01A  1007/HSL10-02A  1007/HSL10-04A	<b>B</b>  <b>B</b>  <b>B</b>	[  ∠  [
<p><b>Nanjing Easthouse Electrical Co.Ltd.,</b> Nanjing/CN</p> <p>EL-0601 (ECL) input unit: EC-0601A-II</p> <p>EL-0601-S (ECL) input unit: EC-0601A-II</p> <p>EL-0701 (ECL) input unit: EC-0601A-II</p>	1406/HSL14-01  1406/HSL14-02  1406/HSL14-04	<b>B</b>  <b>B</b>  <b>B</b>	∠  ∠  [

<b>Promet Safe Ltd. (Bulgaria),</b> Kazanlak/BG	PS-600	(ECL)	0907/HSL15-01	<b>B</b>	∠
<b>Promet Safe Ltd. (Russia),</b> Moskau/RU	PS-600	(ECL)	0907/HSL12-01A	<b>B</b>	∠
<b>SAFECOR GmbH,</b> Hamburg/DE	TwinLock compact 7260(ECL/RS) Models: eCode, WTU and pro		1107/HSL11-01A	<b>B</b>	[
	TwinLock 7260 ProtectMaster (ECL/RS)		1107/HSL11-02A	<b>B</b>	[
<b>SECU,</b> <b>Sicherheitsprodukte GmbH,</b> Meinerzhagen/DE	SELO-B	(ECL)	071302/HSL05-01B	<b>B</b>	[
	SELO-B 2	(ECL)	071302/HSL11-01	<b>B</b>	[
	SELO-BFE 2	(ECL)	071302/HSL11-02	<b>B</b>	[
	SELO-BR	(ECL/RS)	071302/HSL07-02B	<b>B</b>	[

**Certified locks of other MA signers:**

<b>Burg-Wächter KG,</b> Wetter (Ruhr)/DE	TRS E9	(ECL, PS)	no ECB•S certificate	<b>B</b>
	TRSE 6000 certification expires in fingerprint only setting	(ECL)	no ECB•S certificate	<b>B</b>
<b>Carl Wittkopp GmbH,</b> Velbert/DE	Series EloStar	(ECL)	no ECB•S certificate	<b>B</b>
	Types: 7215 7217 (with mechanical emergency lock 1821) Models: simplex, pro, time and multilock			
	Series CombiStar 7250	(ECL)	no ECB•S certificate	<b>B</b>
	Models: easy, simplex and pro			
Gator 2000	(ECL)	no ECB•S certificate	<b>B</b>	
with input units: Gator RO, Gator R, Gator DR				
Gator 3000/3010	(ECL)	no ECB•S certificate	<b>B</b>	
with input units: Gator FL, Gator FS, Gator RO, Gator F, Gator DF Gator 3010 with connection for an optional emergency lock				

	<p>Gator 5000 (ECL) with input units: Gator FL, Gator FS, Gator F, Gator DF</p> <p>Gator 6000 (ECL) with input units: Gator FL, Gator FS, Gator F, Gator DF</p> <p>PRIMOR 100 (ECL) with input units: RE and RO and different mounting options</p>	<p>no ECB•S certificate</p> <p>no ECB•S certificate</p> <p>no ECB•S certificate</p>	<p>B</p> <p>B</p> <p>B</p>
<b>GST Gebäude-Sicherheits- technik Vertriebs GmbH,</b> Kassel/DE	Series DFS (ECL) Models: DFS-S, DFS-S plus, DFS-SA, DFS-SB, DFS-SCA and DFS-SCM	no ECB•S certificate	B
<b>Gunnebo Deutschland GmbH,</b> Unterschleißheim/DE	GANOX (ECL/RS) (with keypad) (also recognized as actuator for burglar alarm systems)	no ECB•S certificate	B
<b>INSYS Microelectronics GmbH,</b> Regensburg/DE	EloStar 7215 (ECL) Models: Simplex, Pro, time, multilock	no ECB•S certificate	B
	EloStar 7217 (ECL) Models: Simplex, Pro, time, multilock, Gunsafe, Master and BioMaster	no ECB•S certificate	B
<b>Intergard LLC,</b> Sunrise, Florida/US	EM20.20/EM20.50 (Rotobolt) (ECL) with input units: ST40.XX, EC10.XX, EC40.XX, EK50.XX, AL20.XX and AL30.XX	no ECB•S certificate	B
	EM35.20/EM35.50 (Straight Bolt (ECL) with input units: AL20.XX (Alpha), BR50.XX (Bravo) and DE20.XX (Delta)	no ECB•S certificate	B
	EM2039-IG (ECL) with input units: 3125 and Delta 2	no ECB•S certificate	B
<b>Kaba AG,</b> Wetzikon/CH	Axessor Types: Axessor USB, Axessor CUT and Axessor IP (ECL)	no ECB•S certificate	B

<p><b>Kaba Mas LLC,</b> Lexington, Kentucky/US</p>	<p>Cencon Wingbolt (ECL)</p>	<p>no ECB•S certificate</p>	<p>B</p>
	<p>LA GARD Swingbolt (ECL) lock types (input unit/lock): 3035/4200M, 3047/4200M, 3190/4200M, 3710/4200M, 3750/4200M, 3810/4200M und 3850/4200M with Software 3800 Dual Control, 3802 LGB (LG Basic) und 3803 LGB+ (LG Basic Plus) 3035/4300M, 3047/4300M, 3125/4300M, 3190/4300M, 3710/4300M, 3750/4300M, 3810/4300M, 3850/4300M, 3750K/4300M, 3850K/4300M, 8130/4300M with Software 39E(Pro) und 66E LGA (LG Audit)</p>	<p>no ECB•S certificate</p>	<p>B</p>
	<p>AUDITCON 2100 D (ECL)</p>	<p>no ECB•S certificate</p>	<p>B</p>
	<p>AUDITCON 2 (ECL) Types: 52, T52, 252 and 552 With integrated power supply (-S) With option battery assist (-A); Input units: Round and Vertical</p>	<p>no ECB•S certificate</p>	<p>B</p>
<p><b>Lock Your World GmbH &amp; Co. KG,</b> Bad Orb/DE</p>	<p>PL2010 (EKL) with: PL1001 Transponder PL2031 Contact with 1 m cable PL2032 Contact with 2 m cable PL2011 control module 220 V PL2012 control module 48 V PL2013 control module 24 V PL2014 control module 12 V PL2041 Roto Bolt-Lock EM2010DX PL2042 Straight Bolt-Lock EM3510DX PL2043 Motor-Lock 7218-006-0 PL1002 Emergency opening module PL9000 programming cable set</p>	<p>no ECB•S certificate</p>	<p>B</p>
<p><b>Lock Technology BV,</b> Doetinchem/NL</p>	<p>EM30.20/EM30.50 and EM30.60 Motorschloss (ECL) with input units ST40.XX, EC10.XX, EC 40.XX, EK 50.XX, AL20.XX, AL30.XX and "Leader" types EM25.20-TD/EM30.20-TD with time delay</p>	<p>no ECB•S certificate</p>	<p>B</p>
	<p>EM20.20, EM20.50 and EM20.60 Rotobolt (ECL) with input units ST40.XX, EC10.XX, EC 40.XX, EK 50.XX, AL20.XX and AL30.XX Type EM20.20-TD with time delay</p>	<p>no ECB•S certificate</p>	<p>B</p>

	EM35.20, EM35.50 and EM35.60 (Straight Bolt) (ECL) with input units AL20.XX (Alpha), BR50.XX (Bravo) and DE 20.XX (Delta)	no ECB•S certificate	B
	Duet (DL40.20) (ECL, CL) with integrated combination lock as override	no ECB•S certificate	B
<b>Mauer Locking Systems,</b> Varna/BG	Electra (ECL) <sup>1)</sup> Types: 101.096.O, 101.096.C and 101.096.H.3	no ECB•S certificate	B
<b>M-Locks BV,</b> Doetinchem /NL	EM3020 / EM3050 / EM3060 (Motorschloss) (ECL) with input units St40XX, EC10XX, EC40XX, EK50XX, AL20XX, AL30XX, BR50XX, DE20XX, T65XX, T75XX und T85XX EM3060 with Leader input unit	no ECB•S certificate	B
<b>Nanjing Easthouse Electrical Co.Ltd,</b> Nanjing/CN	EL-0901 (ECL) <sup>1)</sup>	No ECB•S certificate	B
<b>Sargent &amp; Greenleaf Inc.,</b> Nicholasville, Kentucky/US	6124 (ECL) 6125 (ECL) 6126 (ECL) 6127 (ECL) 6128 (ECL) 6129 (ECL) 6124 IP (ECL) 6125 IP (ECL) 6126 IP (ECL) 6127 IP (ECL) Titan 2006 Pivotbolt (ECL) Titan 2007 DDrive (ECL) Spartan 1006 Privotbolt (ECL) Spartan 1007 DDrive (ECL)	no ECB•S certificate	B B B B B B B B B B B B B
<b>SecuRam Systems Inc.,</b> Oxnard/US	EL-0601-S (ECL) EL-0701 (ECL) EL-0901 (ECL) <sup>1)</sup> EL-0601 (ECL)	no ECB•S certificate	B



<p><b>Stockinger Safety First Class GmbH,</b> Neuried/DE</p>	<p>Stocktronic (ECL/RS) <sup>1)</sup></p>	<p>no ECB•S certificate</p>	<p>B</p>
<p><b>Steinbach &amp; Vollmann GmbH &amp; Co. KG,</b> Heiligenhaus/DE</p>	<p>TULOX (ECL) System Input unit Type</p> <p>TULOX 100 4.17.001X.X 4.17.1000.X TULOX 100 4.17.001X.X (RS) 4.17.1010.X TULOX 200 4.17.002X.X 4.17.1000.X TULOX 200 4.17.002X.X (RS) 4.17.1010.X</p>	<p>no ECB•S certificate</p>	<p>B</p>
<p><b>TECNOSICUREZZA s.r.l.,</b> Verona/IT</p>	<p>EM 1620 (DirectDrive) (ECL) input units: ST40.XX, EC 10.XX, EC40.XX, EK50.XX, AL20.XX and AL 30.XX (Type EM15.20-TD with time delay)</p> <p>EM 20.20 and EM20.50 (Rotobolt) (ECL) input units: ST40.XX, EC10.XX, EC40.XX, EK50.XX, AL20.XX (Alpha), AL30.XX (Alpha), T75XX (Bravoversion), T85XX (Entryversion) and T65XX (Pulse) (Type EM20.20-TD with time delay)</p> <p>EM 35.20 and EM 35.50 (Straight Bolt) (ECL) input units: AL20.XX (Alpha), BR50.XX (Bravo), DE20.XX (Delta), T75XX (Bravovision) and T85XX (Entryvision) and T65XX (Pulse)</p> <p>EM 6050 (ECL) input units: T6530 and T8530 with /B (black), /R (rotating), /DL (key reader), /TD (time delay)</p> <p>DigiTech (ECL) 2 Code Types: T5000 (Rotobolt), T5000/D (Straightbolt) and T5000/M (Motorlock)</p> <p>10 Code Types: T5100 (Rotobolt), T5100/D (Straightbolt) and T5100/M (Motorlock)</p> <p>input units: T9510 (Standard), T9510R (Rotating), T9510DL (Dallas Chip), T9510RDL (Rotating with Dallas Chip)</p>	<p>no ECB•S certificate</p>	<p>B</p>
		<p>no ECB•S certificate</p>	<p>B</p>
		<p>no ECB•S certificate</p>	<p>B</p>
		<p>no ECB•S certificate</p>	<p>B</p>
		<p>no ECB•S certificate</p>	<p>B</p>

**TechMaster** (ECL)  
Types: T5300 (Rotobolt) and  
T5300/D (Straightbolt), T5300/M  
(Motorlock), T9530/OVR (Motorlock  
with Emergency Board)  
input units: T9530 (Standard), T9530R  
(Rotating), T9530DL (Dallas Chip),  
T9530RDL (Rotating with Dallas Chip)

no ECB•S  
certificate

B

**MiniTech** (ECL)  
Types: T5200 (Rotobolt) and  
T5200/D (Straightbolt), T5200/M  
(Motorlock)  
input units: T9520 (Standard),  
T9520R (Rotating),  
T9520DL (Dallas Chip),  
T9520RDL (Rotating with Dallas Chip)

no ECB•S  
certificate

B

#### 4 Class C locks

4.1 Mechanical key locks (KL)	Model	ECB•S Certificate	EN 1300/ bolt	
<b>Gunnebo Bazancourt S.A.S.</b> , Bazancourt/FR	MxB-C	0440/HSL04-04C	<b>C</b>	[
<b>Kaba Mauer GmbH</b> , Heiligenhaus/DE	70011 Primus C	537303/HSL03-18C	<b>C</b>	[
<b>Lebtig Schließtechnik GmbH &amp; Co. KG.</b> Bötzingen/DE	2374 - EuroNovum	1109/HSL11-04A	<b>C</b>	C
	2375 - EuroNovum	1109/HSL11-05A	<b>C</b>	[
<b>SECU Sicherheitsprodukte GmbH</b> , Meinerzhagen/DE	S 6500	071302/HSL03-07C	<b>C</b>	[

#### **Certified locks of other MA signers:**

<b>ASSA OEM AB</b> , Göteborg/SE	FAS 6990	no ECB•S certificate	<b>C</b>	
<b>Carl Wittkopp GmbH</b> , Velbert/DE	1824	no ECB•S certificate	<b>C</b>	

<b>Lebtig Schließtechnik GmbH &amp; Co. KG</b> Bötzingen/DE	Series Protector Types: 2070, 2071 and 2072	no ECB•S certificate	C
<b>Sargent &amp; Greenleaf Inc.,</b> Nicholasville, Kentucky/US	6890 (Code changeable)	no ECB•S certificate	C
<b>Steinbach &amp; Vollmann GmbH &amp; Co. KG,</b> Heiligenhaus/DE	IVOX, 4.19.98	no ECB•S certificate	C

4.2 Mechanical code locks (CL)	Model	ECB•S Certificate	EN 1300/ Bolt
<b>Gunnebo Bazancourt S.A.S.,</b> Bazancourt/FR	MONEO EN C (PS, AS, IND) <sup>1)</sup>	0440/HSL04-05C	C other
<b>Lebtig Schließtechnik GmbH &amp; Co. KG,</b> Bötzingen/DE	3097 (PS) (with setting knob kit type 3104; version 3097...31 with bolt contact)	1109/HSL11-02A	C [

**Certified locks of other MA signers:**

<b>KABA MAS LLC,</b> Lexington, Kentucky/USA	LA GARD 1947 (PS) (with setting knob kit type 1731)	no ECB•S certificate	C
<b>Lebtig Schließtechnik GmbH &amp; Co. KG,</b> Bötzingen/DE	3055 (PS) <sup>1)</sup> (with setting knob kit type 3104; version 3097...31 with bolt contact)	no ECB•S certificate	C
	3019 (PS) <sup>1)</sup> Emergency opening system using the permutation lock type 3055 class C); with setting knob kit type 3104 or 3109)	no ECB•S certificate	C
<b>Sargent &amp; Greenleaf Inc.,</b> Nicholasville, Kentucky/US	6643-100 (PS) with setting knob kit featuring visual privacy protection	no ECB•S certificate	C

4.3 Electronic locks (EKL/ECL)	Model	ECB•S Certificate	EN 1300/ Bolt	
<b>Gunnebo Cash Automation GmbH,</b> Trier/DE	SafeLock C (ECL/RS) Types: SafeLock C-one R SafeLock C-2R SafeLock C-3R	5254/HSL07-02B	<b>C</b>	[
<b>Gunnebo Electronic Security SAS,</b> Baldenheim/FR	GSL 1000 C (ECL) type GSL 1031-C with input unit GSL IU 1030-C (standard) type GSL 1032-C with input unit GSL IU 1030-C (standard) type GSL 1033-C with input unit GSL IU 1030-C (standard) type GSL 1041-C with input unit GSL IU 1040-C (fingerprint) type GSL 1042-C with input unit GSL IU 1040-C (fingerprint) type GSL 1043-C with input unit GSL IU 1040-C (fingerprint) <b>Certification expires in fingerprint only setting</b>	0807/HSL09-02B	<b>C</b>	[
<b>INSYS Microelectronics GmbH,</b> Regensburg/DE	TwinLock C (ECL) types / input units TwinLock C700 BioPin / FlatControl BioPin C, TwinLock C700 Business S /FlatControl Business C TwinLock C700 WTU / FlatControl WTU (optional with network connection) ( <i>supersedes TwinLock 7220 versions</i> )	0908/HSL14-05	<b>C</b>	[
<b>KABA AG,</b> Wetzikon/CH	PAXOS COMPACT (ECL/RS) (with setting knop input) (also recognized as actuator for burglar alarm systems)	072232/HSL03-03B	<b>C</b>	[
	PAXOS Advance (ECL/RS) (with setting knop input)	072232/HSL13-02	<b>C</b>	[
<b>SAFECOR GmbH,</b> Hamburg/DE	TwinLock 7220(ECL/RS)	1107/HSL11-03A	<b>C</b>	[
	TwinLock 7220 ProtectMaster (ECL/RS)	1107/HSL11-04A	<b>C</b>	[
<b>SECU Sicherheitsprodukte GmbH,</b> Meinerzhagen/DE	SELO-C (ECL/RS)	071302/HSL95-03B	<b>C</b>	[

**Certified locks of other MA signers:**

<b>Carl Wittkopp GmbH,</b> Velbert/DE	Gator 8000 (ECL) with input unit Gator DF	no ECB•S certificate	C
<b>Gunnebo Deutschland GmbH,</b> Unterschleißheim/DE	GANOX (ECL/RS) (with setting knob input) (also recognized as actuator for burglar alarm systems)	no ECB•S certificate	C

**5 Class D locks**

<b>5.1 Electronic locks (EKL/ECL)</b>	<b>Model</b>	<b>ECB•S Certificate</b>	<b>EN 1300/ Bolt</b>	
<b>Gunnebo Cash Automation GmbH,</b> Trier/DE	SafeLock D (ECL/RS) Models: SafeLock D-2R SafeLock D-3R	5254/HSL07-03B	<b>D</b>	[
<b>KABA AG,</b> Wetzikon/CH	PAXOS COMPACT (ECL/RS) (with setting knob input) (also recognized as actuator for burglar alarm systems)	072232/HSL03-04B	<b>D</b>	[
<b>SECU Sicherheitsprodukte GmbH,</b> Meinerzhagen/DE	SELO-D (ECL/RS)	071302/HSL05-03B	<b>D</b>	[

**Certified locks of other MA signers:**

<b>Carl Wittkopp GmbH,</b> Velbert/DE	Gator 9000 (ECL) with input unit Gator DF	no ECB•S certificate	D
<b>Gunnebo Deutschland GmbH,</b> Unterschleißheim/DE	GANOX (ECL/RS) (mit Drehknopfeingabe) (also recognized as actuator for burglar alarm systems)	no ECB•S certificate	D

---

## 6 List of suppliers

---

ASSA OEM AB  
Bruksgatan 17  
41451 Göteborg  
SWEDEN

Fon.: +46317044000  
Fax: +46317044000  
e-Mail: kundservice.gbg@assaabloy.com  
Internet: www.assaodem.se

---

BAUSSA  
Ctra. De Plencia 5  
48100 Munica, Vizcaya  
SPAIN

Fon.: +34 946 74 90 99  
Fax: +34 976 74 05 62  
e-Mail: info@baussa.com  
Internet: www.baussa.com

---

Bordogna S.p.A.  
Viale Europa, 37  
25036 Palazzolo Sull'Oglio (Brescia)  
ITALY

Fon: +39 030 7 40 60 11  
Fax: +39 030 7 40 16 49  
e-Mail: bordogna@bordognagroup.com  
Internet: www.bordognagroup.com

---

Burg-Wächter KG  
Altenhofer Weg 15  
58300 Wetter (Ruhr)  
GERMANY

Fon: +49 23 58 9 05-0  
Fax: +49 23 58 9 05-1 00  
e-Mail: info@burg-waechter.de  
Internet: www.burg-waechter.de

---

Carl Wittkopp GmbH  
Konrad-Zuse-Str. 5  
42551 Velbert  
GERMANY

Fon.: +49 20 51 95 66-0  
Fax: +49 20 51 95 66-66  
e-Mail: info@carl-wittkopp.com  
Internet: www.carl-wittkopp.com

---

Conforti S.p.A.  
Viale del Lavoro, 13  
37036 San Martino Buon Albergo (VR)  
ITALY

Fon.: +39 045 8 87 73 29  
Fax: +39 045 8 79 60 43  
e-Mail: conforti@conforti.it  
Internet: www.conforti.it

---

GST Gebäude-Sicherheitstechnik  
Vertriebs GmbH  
Lilienthalstr. 25  
34123 Kassel  
GERMANY

Fon: +49 56 15 8 98 90-0  
Fax: +49 56 15 8 98 90-99  
e-Mail: vertrieb@gst-tresore.de  
Internet: www.gst-tresore.de

---

Gunnebo Bazancourt S.A.S.  
B.P. 1  
51110 Bazancourt  
FRANCE

Fon: +33 3 26 91 44 44  
Fax: +33 3 26 91 44 45  
e-Mail: Thierry.Estienne@gunnebo.com  
Internet: www.gunnebo.com

---

---

Gunnebo Cash Automation GmbH  
Diedenhofenerstraße 26  
54294 Trier  
GERMANY

Fon: +49 651 8 27 25 0  
Fax: +49 651 8 27 25 15  
e-Mail: info.cashautomation@gunnebo.com  
Internet: www.gunnebo.com

---

Gunnebo Deutschland GmbH  
Carl-Zeiss-Str. 8  
85748 Garching  
GERMANY

Fon: +49 89 24416 3500  
Fax: +49 89 95 96-2 00  
e-Mail: info@gunnebo-security.de  
Internet: www.gunnebo-security.de

---

Gunnebo Electronic Security SAS  
23, route de Schwobsheim  
67600 Baldenheim  
FRANCE

Fon: +33 3 88 85 06 06  
Fax: +33 3 88 85 3776  
e-Mail: thierry.kannengiesser@gunnebo.com  
Internet: www.gunnebo.com

---

INSYS Microelectronics GmbH  
Hermann-Köhl-Str. 22  
93049 Regensburg  
GERMANY

Fon: +49 941 5 86 92-0  
Fax: +49 941 5 86 92-45  
e-Mail: insys@insys-locks.de  
Internet: www.insys-locks.de

---

Intergard LLC  
771 Shotgun Road  
Sunrise, FL 33326  
USA

Fon: +1 954 476 55 74  
Fax: +1 964 476 55 76

---

JUWEL SRL  
Via1. Maggio 3/E  
20010 Vanzago (Milano)  
ITALY

Fon: +39 02 934 7441  
Fax: +39 02 935 70804  
e-mail: info@juwel.it  
Internet: www.juwel.it

---

KABA AG  
Mühlebühlstraße 23  
8620 Wetzikon  
SWITZERLAND

Fon: +41 1 9 31-61 11  
Fax: +41 1 9 31-63 85  
e-Mail: info@kaba.ch  
Internet: www.kaba.ch

---

Kaba Mas LLC  
749 West Short Street  
Lexington, KY 40508-1200  
USA

Fon: +1 859-253 4744 184  
Fax: +1 859-255 02 66  
e-Mail: customerservice@kml.kaba.com  
Internet: www.kaba-mas.com

---

Kaba Mauer GmbH  
Frankenstraße 8 – 12  
42579 Heiligenhaus  
GERMANY

Fon: +49 20 56 5 96-0  
Fax: +49 20 56 5 96-1 39  
e-Mail: info@kmh.kaba.com  
Internet: www.kaba-mauer.de

---

---

Lebtig Schließtechnik GmbH & Co. KG  
Schlossmattenstr. 1  
79268 Bötzingen  
GERMANY

Fon: +49 76 63 60 73-0  
Fax: +49 76 63 60 73-23  
e-Mail: [info@lebtig.de](mailto:info@lebtig.de)  
Internet: [www.lebtig.de](http://www.lebtig.de)

---

LEM S.r.l  
Via per Uboldo. 48  
21040 Gerenzano  
ITALY

Fon: +39 02 96 87 04 01  
Fax: +39 02 9 68 27 96  
e-Mail: [lem@lemlocks.it](mailto:lem@lemlocks.it)  
Internet: [www.lemlocks.it](http://www.lemlocks.it)

---

Lock Technology BV  
Vlijtstraat 40  
7005 BN Doetinchem  
NETHERLANDS

Fon: +31 314 63 22 55  
Fax: +31 314 63 23 72  
e-Mail: [info@nllock.com](mailto:info@nllock.com)  
[www.nllock.com](http://www.nllock.com)

---

Lock Your World GmbH & Co. KG  
Gewerbestr. 5  
63619 Bad Orb  
GERMANY

Fon.: +49 6052 912 808-0  
Fax: +49 6052 912 808-5 00  
e-Mail: [info@LockYourWorld.com](mailto:info@LockYourWorld.com)  
Internet: [www.LockYourWorld.com](http://www.LockYourWorld.com)

---

Lowe & Fletcher Ltd.  
Moorcroft Drive  
Wednesbury WS10 7DE  
West Midlands  
GREAT BRITAIN

Fon: +44 121 5 05 04-00  
Fax: +44 121 5 05 04-20  
e-Mail: [sales@lowe-and-fletcher.co.uk](mailto:sales@lowe-and-fletcher.co.uk)  
Internet: [www.lowe-and-fletcher.co.uk](http://www.lowe-and-fletcher.co.uk)

---

Mauer Locking Systems  
10, Petko Stainov Str.  
9009 Varna  
BULGARIA

Fon: +35952 57 51 18  
Fax: +35952 50 18 10  
e-Mail: [sales@mauer.bg](mailto:sales@mauer.bg)  
Internet: [www.mauerlocks-bg.com](http://www.mauerlocks-bg.com)

---

M-Locks BV  
Vlijtstraat 40  
7005 BN Doetinchem  
NETHERLANDS

Fon: +31 314 37 68 76  
Fax: +31 314 37 68 78  
e-Mail: [info@m-locks.com](mailto:info@m-locks.com)  
Internet: [www.m-locks.com](http://www.m-locks.com)

---

Nanjing Easthouse Electrical Co., Ltd  
3/F., 5 Daxiaochang Road  
210022 Nanjing  
CHINA

Fon: +86 25 86553388  
Fax: +86 25 52638736  
e-Mail: [info@easthouse.net](mailto:info@easthouse.net)  
Internet: [www.easthouse.net](http://www.easthouse.net)

---



Promet Safe Ltd. (Russia)  
 Olkhovaya Str. 8/1,  
 Leninsky District, Vidnoe  
 142700 Moscow  
 RUSSIAN FEDERATION

Fon: +7 495 7 77 48 38  
 Fax: +7 495 7 77 48 85  
 e-Mail: ep@promet-safe.com  
 Internet: www.safe.ru

Promet Safe Ltd. (Bulgaria)  
 60 Rozova Dolina St.  
 6100 Kazanlak  
 BULGARIA

Tel.:+359 2 934 98 20  
 Fax:+359 2 998 26 70  
 e-Mail: bgexport@promet-safe.com  
 Internet: www.safe-bg.com

K. J. Ross Security Locks Pty. Ltd.  
 29 Henderson Road, Knoxfield  
 Victoria 3180  
 AUSTRALIA

Fon: +3 97 63-17 96  
 Fax: +3 97 63-42 23  
 e-Mail: info@rosslocks.com.au  
 Internet: www.rosslocks.com.au

Safecor GmbH  
 Buchenring 55  
 22359 Hamburg  
 GERMANY

Fon: +49 40 86 68 74 10  
 Fax: +49 40 86 68 74 12  
 e-Mail: info@safecor.de  
 Internet: www.safecor.de

Sargent & Greenleaf, Inc.  
 1 Security Drive  
 Nicholasville, KY 40356  
 USA

Fon: +1 859 8 85-94 11  
 Fax: +1 859 8 85-30 63  
 e-Mail: mclark@stanleyworks.com  
 Internet: www.sargentandgreenleafs.com

SECU Sicherheitsprodukte GmbH  
 Wormgermühle  
 58540 Meinerzhagen  
 GERMANY

Fon: +49 23 58 9 05-2 80  
 Fax: +49 23 58 9 05-2 99  
 e-Mail: mail@secu.biz  
 Internet: www.secu-gmbh.de

SecuRam Systems Inc.  
 1899 N Rice Ave., Suite 205  
 Oxnard, CA 93030  
 USA

Tel.: +1805 988 8088  
 Fax: + 1805 988 1580  
 Internet: www.securamsys.com

Steinbach & Vollmann GmbH & Co.KG  
 Parkstraße 11  
 42579 Heiligenhaus  
 GERMANY

Fon: +49 20 56 14-0  
 Fax: +49 20 56 14-2 51  
 E-Mail: info@stuv.de  
 Internet: www.stuv.de

Stockinger Safety First Class GmbH  
 Eichenstr. 15  
 82061 Neuried  
 GERMANY

Fon: +49 89 75 90 58 28  
 Fax: +49 89 75 90 58 30  
 e-Mail: info@stockinger.com  
 Internet: www.stockinger.com

---

Talleres AGA S.A.  
Notario Etxagibel 6  
20500 Arrasate-Mondragon, Gipuzkoa  
SPAIN

Fon: +34 943 790 922  
Fax: +34 943 790 976  
Internet: [www.aga.es](http://www.aga.es)

---

TECNOSICUREZZA s.r.l.  
Via Cesare Battisti 276  
37057 Verona  
ITALY

Fon: +39 045 826 64 70  
Fax: +39 045 826 64 69  
Internet: [www.tecosicurezza.it](http://www.tecosicurezza.it)

---

Michael J. Walsh & Associates, Inc.  
Big Red Safe Locks  
P.O. Box 377  
13673 Sprague River Road  
97 624-0377 Chiloquin OR  
USA

Fon.: +1 541 533 2403  
Fax: +1 760 746 5636  
e-Mail: [info@bigredsafelocks.com](mailto:info@bigredsafelocks.com)  
Internet: [www.bigredsafelocks.com](http://www.bigredsafelocks.com)

---